

Package: NMFN (via r-universe)

September 17, 2024

Type Package
Title Non-Negative Matrix Factorization
Version 2.0.1
Date 2011-01-02
Author Suhai (Timothy) Liu
Maintainer Suhai (Timothy) Liu <tim.liu@alumni.duke.edu>
Description Non-negative Matrix Factorization.
License GPL
LazyLoad yes
Date/Publication 2022-06-23 07:18:36 UTC
NeedsCompilation no
Repository <https://timothyliu-datascience.r-universe.dev>
RemoteUrl <https://github.com/cran/NMFN>
RemoteRef HEAD
RemoteSha 3dd92b605908ea739155e971bba8ecf997ff0b04

Contents

NMFN-package	2
distance2	3
mpinv	3
nmmf	4
nmmf_als	5
nmmf_mm	5
nmmf_prob	6
Index	8

NMFN-package

Non-negative Matrix Factorization - Overview

Description

Non-negative Matrix Factorization

Details

Package: NMFN
Type: Package
Version: 2.0
Date: 2010-01-02
License: GPL
LazyLoad: yes

Author(s)

Suhai (Timothy) Liu <tim.liu@alumni.duke.edu> based on multiplicative updates (Lee and Seung 2001), alternating least squares and multinomial algorithms; Lars Kai Hansen's nnmf_als Matlab implementation; Torsten Hothorn's Moore-Penrose inverse function

References

Lee and Seung - Algorithms for non-negative matrix factorization. In Advances in Neural Information Processing Systems 13, 2001.

Examples

```
X <- matrix(1:12,3,4)
z.mm <- nnmf(X,3) # 3 factors via multiplicative update
z.als <- nnmf(X,3,'nnmf_als') # 3 factors via alternating least square
z.prob <- nnmf(X,3,'nnmf_prob') # 3 factors via multinomial
```

`distance2`*Euclidean Distance between two matrices*

Description

Euclidean Distance between two matrices

Usage`distance2(x1, x2)`**Arguments**

<code>x1</code>	Matrix 1
<code>x2</code>	Matrix 2

Author(s)

Suhai (Timothy) Liu

Examples

```
X<-matrix(1:12,3,4)
Y<-matrix(5:16,3,4)
distance2(X,Y)
```

`mpinv`*Moore-Penrose Inverse*

Description

Moore-Penrose Inverse

Usage`mpinv(X)`**Arguments**

<code>X</code>	original matrix
----------------	-----------------

Author(s)

Torsten Hothorn

Examples

```
X<-matrix(1:12,3,4)
m.inv = mpinv(X)
```

nnmf

Non-negative Matrix Factorization

Description

Non-negative Matrix Factorization

Usage

```
nnmf(x, k, method = "nnmf_mm", maxiter = 1000, eps = 2.2204e-16)
```

Arguments

x	original input matrix
k	number of factors / components
method	which method to use for matrix factorization (default - multiplicative update)
maxiter	max number of iterations
eps	small threshold value

Author(s)

Suhai (Timothy) Liu

Examples

```
X <- matrix(1:12,3,4)
z.mm <- nnmf(X,3) # 3 factors via multiplicative update
z.als <- nnmf(X,3,'nnmf_als') # 3 factors via alternating least square
z.prob <- nnmf(X,3,'nnmf_prob') # 3 factors via multinomial
```

nnmf_als	<i>Non-negative Matrix Factorization via alternating least squares</i>
----------	--

Description

Non-negative Matrix Factorization - alternating least squares method

Usage

```
nnmf_als(x, k, maxiter, eps)
```

Arguments

x	original input matrix
k	number of factors / components
maxiter	max number of iterations
eps	small threshold value

Value

W, H - returned decomposed matrices

Author(s)

Suhai (Timothy) Liu

Examples

```
X <- matrix(1:12, 3, 4)
results <- nnmf(X, 2, 'nnmf_als')
```

nnmf_mm	<i>Non-negative Matrix Factorization via multiplicative update</i>
---------	--

Description

Non-negative Matrix Factorization - multiplicative update method

Usage

```
nnmf_mm(x, k, maxiter, eps)
```

Arguments

x	original input matrix
k	number of factors / components
maxiter	max number of iterations
eps	small threshold value

Value

W, H - returned decomposed matrices

Author(s)

Suhai (Timothy) Liu

References

Lee and Sung 2001

Examples

```
X <- matrix(1:12, 3, 4)

results <- nnmf(X, 2)
#which is equivalent to
results <- nnmf(X, 2, 'nnmf_mm')
```

nnmf_prob

Non-negative Matrix Factorization via multinomial

Description

Non-negative Matrix Factorization - multinomial method

Usage

```
nnmf_prob(x, k, maxiter, eps)
```

Arguments

x	original input matrix
k	number of factors / components
maxiter	max number of iterations
eps	small threshold value

Value

W, H - returned decomposed matrices

nnmf_prob

7

Author(s)

Suhai (Timothy) Liu

Examples

```
X <- matrix(1:12, 3, 4)
results <- nnmf(X, 5, 'nnmf_prob')
```

Index

- * **alternating least squares**
 - NMFN-package, [2](#)
 - * **multinomial**
 - NMFN-package, [2](#)
 - * **multiplicative update**
 - NMFN-package, [2](#)
 - * **non-negative matrix factorization**
 - NMFN-package, [2](#)
- [distance2](#), [3](#)
- [mpinv](#), [3](#)
- [NMFN \(NMFN-package\)](#), [2](#)
- [NMFN-package](#), [2](#)
- [nnmf](#), [4](#)
- [nnmf_als](#), [5](#)
- [nnmf_mm](#), [5](#)
- [nnmf_prob](#), [6](#)